

**Khwaja Fareed University of Engineering &
Information Technology, Rahim Yar Khan**



Tender Document

Tender No. IT-010

Supply and Installation of IT Equipment

at

**Khwaja Fareed University of Engineering
& Information Technology
Rahim Yar Khan**

TENDER DOCUMENT

TENDER No. IT-010

Supply and Installation of IT Equipment

at

Khwaja Fareed University of Engineering and Information Technology

TENDER PRICE Rs. 1000/-

Last date of submission: _____

FOR OFFICE USE ONLY

Serial No _____

Sold to: M/S _____

Date of Sale _____

Bank Challan No. _____

Date _____

1. Overview

Khwaja Fareed University of Engineering & Information Technology, Rahim Yar Khan intends to purchase “**Supply and Installation of IT Equipment**” as provided at **Annex ‘A’**. The supplier will be responsible for Supply, delivery, installation and commissioning of all specified items, wherever required, at the Khwaja Fareed University of Engineering & Information Technology, Rahim Yar Khan. This document provides complete instructions for bidders intending to participate in this Tender.

2. Instructions for Bidders

2.1. Response to the Tender (Bid) should be submitted in one part which shall include two separately sealed envelopes of Technical **Proposal and Financial Proposal** before **11:30 AM** on **02-10-2017**. Technical Proposals will be opened on same day at **12:00 PM** in the presence of representatives of responding bidders, if any, and Financial Proposals will be opened after completion of technical evaluation. The exact time and place for opening of financial proposals will be informed to technically qualified bidders.

2.2. Responding bidder shall deliver two sealed copies of the bid. Each copy being physically separate, bound, sealed and labeled. Proposals shall be delivered at the address given below.

Director Procurement

**Khwaja Fareed University of Engineering & Information Technology
Abu Dhabi Road, Rahim Yar Khan.**

Tel. # 068-5882420

2.3. Any queries regarding this proposal should be directed to the designated Technical Contact Person listed below.

Mr. Rizwan Majeed, IT Manager, Tel. # 068-5882425

2.4. All bids must be submitted by filling the **Annex ‘B’**. Same should be enclosed in the financial proposal. Bidder must use the same numbers and labels used in this Request for Proposal.

2.5. The original Tender Document duly signed and officially sealed by the bidder must be submitted in whole with the proposals. Any conditional, ambiguous, incomplete, supplementary or revised offer after the opening of tender shall not be entertained.

3. Technical Proposal Format

Bidders are required to include the following documents/information in their technical proposals in the order given below:

- i. The Name and Address
- ii. Profile of company (Including Financial Profile)
- iii. List of Previous/Current customers of related designing, composing and printing of prospectus, with contact person and telephone/fax numbers.
- iv. Detailed product design information
- v. Copy of National Tax Registration Certificate
- vi. Copy of Sales Tax Registration Certificate
- vii. Bank letter of financial standing
- viii. An affidavit on Rs 100/- Stamp Paper that currently they are not black listed or debarred by any Government/Semi-Government Department to participate in bidding and to supply equipment. Failure to submit such affidavit may lead to disqualification.
- ix. Any additional information the bidder may like to furnish e.g. repair/maintenance other concerned facility
- x. Detailed item specifications matched corresponding to the BOQ as given at **Annex 'A'**
- xi. Detailed project implementation schedule/Completion Schedule which includes the delivery of items mentioned in the BOQ
- xii. Signed and stamped Tender document
- xiii. Bank Draft of the Earnest Money

4. Financial Proposal Format

Financial Proposal must include the following in the order given below:

- i. Equipment prices duly entered on the form in the attached BOQ
- ii. Validity period of the quoted price
- iii. Any other Terms and Conditions

5. Terms & Conditions

- 5.1. This invitation for bids is open to all national original Manufacturers/ Distributors/Agents in Pakistan for Supply of Tools, Carpentering, Plumbing and Electric Material.
- 5.2. All prices should be quoted in Pak Rupees and inclusive of all Government Taxes & Levies.
- 5.3. A bank draft equal to 2% of the estimated cost should accompany the Tender as **Earnest Money** drawn in favor of **KFUEIT Rahim Yar Khan**. The Tender shall not be considered without Earnest Money. Bank guarantee will not be accepted. Bank draft for Earnest Money should be placed with the Technical proposal.
- 5.4. Earnest Money for bidders not selected will be returned a minimum of two weeks after announcement of award and returned to successful bidder after signing the contract. If the selected bidder fails to sign the contract within stipulated time, Earnest Money will be forfeited.
- 5.5. A Bank draft of 5% of the total amount as **Performance Guarantee** will be provided by the supplier in favor of KFUEIT, Rahim Yar Khan within 10 days after signing of the contract on judicial stamp paper of the value PKR. 1200/-which shall remain valid for 12 months beyond delivery period. This performance guarantee will be released after the completion of warranty/guarantee period, along with the satisfactory completion report which will be intimated to the Seller and the Director Procurement KFUEIT, Rahim Yar Khan for their onward issuance of No Objection Certificate (NOC) for the release of performance guarantee.
- 5.6. KFUEIT Rahim Yar Khan reserves the right to accept / reject any or all proposals without assigning any reason thereof.
- 5.7. The quantity of an order may vary depending on the quoted prices and the allocated funds.
- 5.8. The decision of the KFUEIT procurement committee will be binding on all concerned and will in no case be challenged in any forum.
- 5.9. KFUEIT Rahim Yar Khan reserves the right to modify the conditions / specifications of the Tender Document with written intimation to all the participants who have purchased the Tender Document.
- 5.10. Delivery period will be 45 days from the date of issuance of purchase order/supply order.

- 5.11.** Delivery shall be completed according to the agreed upon schedule.
- 5.12.** In case the selected bidder fails to execute the contract strictly in accordance with the terms and conditions laid down in the contract, the Performance Guarantee shall be forfeited.
- 5.13.** The University will get the item inspected at KFUEIT Rahim Yar Khan and reject the item, if not found according to the stated specifications.
- 5.14.** The University reserves the right to claim compensation for the losses caused by delay in the delivery of equipment.
- 5.15.** It is the sole responsibility of the bidder to comply with local, national and international laws.
- 5.16.** In case any supplies/material are found not in conformity with the specifications provided in the tender, either on account of inferior quality, defective workmanship, faulty design, faulty packing or is short supplied, or wrongly supplied, the supplier will replace the same free of charges or pay the full cost of replacement.
- 5.17.** All the proposals submitted will become the property of the University.
- 5.18.** All prices should be valid for at least 60 days. Withdrawal or any modification of the original offer within the validity period shall entitle the KFUEIT Rahim Yar Khan to forfeit the Earnest Money in favor of the KFUEIT Rahim Yar Khan and/or putting a ban on the future inquires or taking any other suitable action against the bidder.
- 5.19.** Delivery of the items will be free of charge at Khawaja Fareed University of Engineering & Information Technology, Rahim Yar Khan during the office hours with a copy of Delivery Challan.
- 5.20.** Items being ordered should be brand-new and according to order specification from the current production and covered under normal warranty/guarantee etc. as mentioned in the quote. Brochures mentioned and product details must be attached.

6. Tender Evaluation Criteria

All bids shall be evaluated on technical and financial merit. The Company Evaluation Criteria is attached at **Annex 'C'** for reference. Technical evaluation process may include, but not limited to the consideration of the following with respect to the functional requirements given ahead:

- a. Technical specifications of proposed item
- b. Company Profile
 - I. Age of the company
 - II. Financial strength of the bidder

Financial Evaluation process will be based on the consideration of the quoted price.

7. Undertaking

On behalf of the company it is certified that we agree to the all the Instructions and Terms & Conditions given in this Tender Document

Name of bidder.....

Authorized person.....

Authorized signature.....

Stamp.....

Office Address.....

Tel No

Fax No

Supply and Installation of IT Equipment

| Sr. No | Item Name | Specifications/Minimum Requirements | Qty. |
|--------|--|--|------|
| 1 | Computer Display Monitor 22" - with Mounting bracket for Intel NUC 5i7RYH | Display Diagonal Size: 22" Viewable Size: 21.5" Resolution: Full HD 1920 x 1080 @60 Hz Backlight Technology: LED Connectivity: 1 x VGA 1 x HDMI 1 x Audio Line-in 1 x Audio Line-out Security Security lock slot (cable lock sold separately) Brightness: 250 cd/m ² (typical) Panel Type: In-Plane switching Technology Contrast Ratio: 1000:1 (typical), 8 million: 1 (DCR) Aspect Ratio: 16:9 Display Manager Compatibility: Yes Power: Power consumption (Operating) 22W (typ) -30W (maximum) / Energy Star: 16W (typical) Mounting bracket for Intel NUC 5i7RYH | 100 |
| 2 | Computer System Micro Form Factor with 18.5" Monitor or better | Computer System (Micro Form Factor) 6th Gen Intel Core i3-6100 Processor 4GB 2400MHz DDR4 Memory 128 GB SSD Drive Intel HD Graphics USB Optical Mouse USB Keyboard | 100 |

| | | | |
|---|--|--|----|
| | | <p>65W Adapter</p> <p>Micro: 6 External USB: 4 x USB 3.1 Gen 1 (2 front/2 rear) and 2 x USB 2.0 (2 rear)</p> <p>1 RJ-45</p> <p>1 HDMI 1.4;</p> <p>1 Display Port 1.2;</p> <p>1 UAJ (front);</p> <p>1 Line-out (front)</p> <p>18.5” Monitor Display</p> <p>All in One Mount KIT for Display</p> <p>Three years warranty</p> | |
| 3 | VoIP Phone compatible with Panasonic PBX KX-NS500 | <p>VoIP Protocols SIP</p> <p>Voice Codecs G.711a, G.711u, G.722, G.726, G.729a</p> <p>Quality of Service Differentiated Services (DiffServ),</p> <p>IEEE 802.1Q (VLAN)</p> <p>IP Address Assignment: DHCP</p> <p>Static VoIP: Yes</p> <p>Network Protocols DNS, HTTP, HTTPS, IP, SNMP, TR-069</p> | 30 |
| 4 | Multimedia Projector with ceiling mounted bracket | <p>Brightness: 3,800 Lumens</p> <p>Color Light Output: 3,800 Lumens</p> <p>Resolution: 1024x768</p> <p>Aspect Ratio: 4:3 (XGA)</p> <p>Video Modes: 720p, 1080i, 1080p/60, 1080p/50, 575i, 576i, 576p, 480p, 480i</p> <p>Data Modes: MAX 1600x1200</p> <p>Panel: Composite (RCA)</p> <p>S-Video</p> <p>VGA In (Dsub-15pin)</p> <p>VGA In (Dsub-15pin)</p> <p>HDMI</p> <p>Network (RJ-45)</p> <p>USB</p> <p>Lamp Life:10,000 hours</p> <p>Display Type: 2 cm 3 LCD</p> <p>Standard Zoom Lens: 1.60:1</p> | 30 |

| | | | |
|---|--|--|----|
| | | <p>Standard Lens Focus: Manual</p> <p>Throw Dist (m): 1.4 - 8.5</p> <p>Image Size(cm):77 - 762</p> <p>Throw Ratio(D:W):1.40:1 - 2.27:1</p> <p>Speakers: yes</p> | |
| 5 | <p>Wireless Indoor Access point fully compatible with Ruckus Zone Director Wireless Controller</p> | <p>Mid-range 802.11ac Wave 2 AP with MU-MIMO and BeamFlex+</p> <p>Maximum PHY rate</p> <p>867 Mbps (5GHz)</p> <p>300 Mbps (2.4GHz)</p> <p>Wi-Fi technology</p> <p>802.11ac Wave 2 (5GHz)</p> <p>802.11n (2.4GHz)</p> <p>Concurrent users: 512</p> <p>Radio chains: streams 2x2:2</p> <p>BeamFlex gains: 4dB</p> <p>Max. interference mitigation: 10dB</p> <p>PD-MRC: Yes</p> <p>Rx sensitivity: -103dBm</p> <p>Channel Fly: Yes</p> <p>Smart meshing: Yes</p> <p>USB: Yes</p> <p>Ethernet ports: 2</p> | 20 |
| 6 | <p>Wireless Outdoor Access Point fully compatible with Ruckus Zone Director Wireless Controller</p> | <p>Entry-level 802.11ac AP with integrated omni or external antennas (5GHz)</p> <p>Maximum PHY rate</p> <p>867 Mbps (5GHz)</p> <p>300 Mbps (2.4GHz)</p> <p>Wi-Fi technology</p> <p>802.11ac (5GHz)</p> <p>802.11n (2.4GHz)</p> <p>Concurrent users: 512</p> <p>Radio chains: Streams 2x2:2</p> <p>BeamFlex gains: 4dB</p> <p>Max. interference mitigation: 10dB</p> <p>PD-MRC: Yes</p> | 4 |

| | | | |
|----|---|---|------------|
| | | Rx sensitivity: -100dBm ChannelFly: Yes Smart meshing: Yes Ethernet ports: 1 | |
| 7 | 12 Core Fiber Optic Cable | Single Mode OS2 Outdoor Armoured Unitube Cable (12 cores) G652D,2.6mm , loos tube , steel wire strength member , steel tape armored , PE Jacket (PER Meter) | 6000 meter |
| 8 | Network Rack 42U with Power Data Unit | Network Rack 42U with Power Data Unit Fans, Wheels | 1 |
| 9 | Patch Panel 24 Port Loaded with CAT6 I/O and Cable Management Tray | Modular Patch Panel, Unshielded, Shuttered 24 Port, IU, Rack Mount, Color Black, With Loaded Cat 6 I/O and Rear Cable Management Tray | 10 |
| 10 | CAT 6 UTP Patch Cords Length 0.5 Meter | 2x RJ45 (8P8C) connectors Boots with kink protection, strain relief and latch protection Length marking on boot Conductor: Copper (Cu) Category: CAT 6A Shielding: U-UTP, unshielded Structure: 4 x 2 AWG 26/7, twisted pair Color: Green Length: 0.5 meter | 200 |
| 11 | CAT 6 UTP Patch Cords Length 1 Meter | 2x RJ45 (8P8C) connectors Boots with kink protection, strain relief and latch protection Length marking on boot Conductor: Copper (Cu) Category: CAT 6A Shielding: U-UTP, unshielded Structure: 4 x 2 AWG 26/7, twisted pair Color: Green Length: 1 meter | 200 |
| 12 | CAT 6 UTP Patch Cords Length 3 Meter | 2x RJ45 (8P8C) connectors Boots with kink protection, strain relief and latch protection | 200 |

| | | | |
|----|--|---|---|
| | | <p>Length marking on boot</p> <p>Conductor: Copper (Cu)</p> <p>Category: CAT 6A</p> <p>Shielding: U-UTP, unshielded</p> <p>Structure: 4 x 2 AWG 26/7, twisted pair</p> <p>Color: Green</p> <p>Length: 3 meter</p> | |
| 13 | Fiber Optic Sliding Splice Box (ODF) | Fiber Optic Sliding Splice Box, 1U, Equipped, 12*SC duplex, including M25 Screw, Splice Cassette, Color Pigtails OS2, Adapter | 2 |
| 14 | Fiber Optic Sliding Splice Box (ODF) | Fiber Optic Sliding Splice Box, 1U, Equipped, 6*SC duplex, including M25 Screw, Splice Cassette, Color Pigtails OS2, Adapter | 2 |
| 15 | Homage Hexa HEX-2004 2000VA/1500W or Equivalent | <p>Power 1500 Watts 2000VA/24VDC/220VAC</p> <p>Built-in intelligent 3-stage charger control for efficient charging and to prevent overcharging</p> | 1 |

Supply and Installation of IT Equipment (Bid Form)

| Sr. No. | Item Name | Qty. | Unit Rate | Total Price (inclusive of all taxes, and Shipment charges) |
|---------|---|------------|-----------|---|
| 1 | Computer Display Monitor 22" - with Mounting bracket for Intel NUC 5i7RYH | 100 | | |
| 2 | Computer System Micro Form Factor with 18.5" Monitor or better | 100 | | |
| 3 | VoIP Phone compatible with Panasonic PBX KX-NS500 | 30 | | |
| 4 | Multimedia Projector with ceiling mounted bracket | 30 | | |
| 5 | Wireless Indoor Access point fully compatible with Ruckus Zone Director Wireless Controller | 20 | | |
| 6 | Wireless Outdoor Access Point fully compatible with Ruckus Zone Director Wireless Controller | 4 | | |
| 7 | 12 Core Fiber Optic Cable | 6000 meter | | |
| 8 | Network Rack 42U with Power Data Unit | 1 | | |
| 9 | Patch Panel 24 Port Loaded with CAT6 I/O and Cable Management Tray | 10 | | |
| 10 | CAT 6 UTP Patch Cords Length 0.5 Meter | 200 | | |
| 11 | CAT 6 UTP Patch Cords Length 1 Meter | 200 | | |
| 12 | CAT 6 UTP Patch Cords Length 3 Meter | 200 | | |

| Sr. No. | Item Name | Qty. | Unit Rate | Total Price (inclusive of all taxes, and Shipment charges) |
|-----------------------|--|------|-----------|---|
| 13 | Fiber Optic Sliding Splice Box (ODF) | 2 | | |
| 14 | Fiber Optic Sliding Splice Box (ODF) | 2 | | |
| 15 | Homage Hexa HEX-2004 2000VA/1500W or Equivalent | 1 | | |
| TOTAL: _____ | | | | |
| Total in Words: _____ | | | | |

Company Evaluation Criteria

1. Basic Evaluation

- i. Profile of company (Including Financial Profile)
- ii. List of Previous/Current customers of related Supplies, with contact person and telephone/fax numbers.
- iii. Detailed product design information
- iv. Copy of National Tax Registration Certificate
- v. Copy of Sales Tax Registration Certificate
- vi. Bank letter of financial standing
- vii. An affidavit on Rs 100/- Stamp Paper that currently they are not black listed or debarred by any Government/Semi-Government Department to participate in bidding and to supply equipment. Failure to submit such affidavit may lead to disqualification.
- viii. Detailed item specifications matched corresponding to the BOQ as given at **Annex 'A'**
- ix. Detailed project implementation schedule/Completion Schedule which includes the delivery of items mentioned in the BOQ
- x. Signed and stamped Tender document

2. Detailed Evaluation

(Minimum Passing Score Required is 65 Points)

| TECHNICAL EVALUATION CRITERIA FOR TENDER | | | |
|---|--|--------------|------------------|
| Specifications are available at Annex-A | | | |
| Sr. No | Item Name and Description | Marks | Max Marks |
| 1 | Past Performance/Experience of the Bidder (Reg. with GST/NTN) | -- | 10 |
| 1.1 | 1 – 3 year experience | 2 | -- |
| 1.2 | 4 – 8 year experience | 4 | -- |
| 1.3 | 9 – 15 years' experience | 6 | -- |
| 1.4 | Above 15 | 10 | -- |
| 2 | Relevant Experience | -- | 10 |
| 2.1 | 1 – 5 years' experience | 3 | -- |
| 2.2 | 6 – 10 years' experience | 6 | -- |
| 2.3 | 11 and above year experience | 10 | -- |
| 3 | Financial Position/ Status | -- | 10 |
| 3.1 | Last sales tax paid Form | 4 | -- |
| 3.2 | Bank Certificate (satisfactory) | 2 | -- |
| 3.3 | Statement Worth (Min 2 m) | 4 | -- |
| 4 | After sale Services Available | -- | 10 |
| 5 | Technical Evaluation of quoted items | -- | 60 |
| 5.1 | Specification matched as provided in Annex-A | 30 | |
| 5.2 | Literature in printed shape attached | 2.5 | |
| 5.3 | Reliability | 2.5 | |
| 5.4 | Delivery schedule as per need | 5 | |
| 5.5 | List of clients / where this equipment delivered | 5 | |
| 5.6 | Satisfactory letter from clients in favour of such equipment | 5 | |
| 5.7 | Guarantee / Warranty (as the case may be) | 5 | |
| 5.8 | Provision of training to concerned user | 2.5 | |
| 5.9 | Free Installation (if required) as per requirement | 2.5 | |
| Total | | -- | 100 |

**Khwaja Fareed University of Engineering &
Information Technology, Rahim Yar Khan**



Tender Document

Tender No. Misc-054

Supply and Installation of GYM Equipment

at

**Khwaja Fareed University of Engineering
& Information Technology
Rahim Yar Khan**

TENDER DOCUMENT

TENDER No. Misc-054

Supply and Installation of GYM Equipment

at

Khwaja Fareed University of Engineering and Information Technology

TENDER PRICE Rs. 1000/-

Last date of submission: _____

FOR OFFICE USE ONLY

Serial No _____

Sold to: M/S _____

Date of Sale _____

Bank Challan No. _____

Date _____

1. Overview

Khwaja Fareed University of Engineering & Information Technology, Rahim Yar Khan intends to purchase “**Supply and Installation of GYM Equipment**” as provided at **Annex ‘A’**. The supplier will be responsible for Supply, delivery, installation and commissioning of all specified items, wherever required, at the Khwaja Fareed University of Engineering & Information Technology, Rahim Yar Khan. This document provides complete instructions for bidders intending to participate in this Tender.

2. Instructions for Bidders

2.1. Response to the Tender (Bid) should be submitted in one part which shall include two separately sealed envelopes of Technical **Proposal and Financial Proposal** before **11:30 AM** on **02-10-2017**. Technical Proposals will be opened on same day at **12:00 PM** in the presence of representatives of responding bidders, if any, and Financial Proposals will be opened after completion of technical evaluation. The exact time and place for opening of financial proposals will be informed to technically qualified bidders.

2.2. Responding bidder shall deliver two sealed copies of the bid. Each copy being physically separate, bound, sealed and labeled. Proposals shall be delivered at the address given below.

Director Procurement

**Khwaja Fareed University of Engineering & Information Technology
Abu Dhabi Road, Rahim Yar Khan.**

Tel. # 068-5882420

2.3. Any queries regarding this proposal should be directed to the designated Technical Contact Person listed below.

Engr. Hammad Khalid, Director Sports, Tel. # 068-5882427

2.4. All bids must be submitted by filling the **Annex ‘B’**. Same should be enclosed in the financial proposal. Bidder must use the same numbers and labels used in this Request for Proposal.

2.5. The original Tender Document duly signed and officially sealed by the bidder must be submitted in whole with the proposals. Any conditional, ambiguous, incomplete, supplementary or revised offer after the opening of tender shall not be entertained.

3. Technical Proposal Format

Bidders are required to include the following documents/information in their technical proposals in the order given below:

- i. The Name and Address
- ii. Profile of company (Including Financial Profile)
- iii. List of Previous/Current customers of related designing, composing and printing of prospectus, with contact person and telephone/fax numbers.
- iv. Detailed product design information
- v. Copy of National Tax Registration Certificate
- vi. Copy of Sales Tax Registration Certificate
- vii. Bank letter of financial standing
- viii. An affidavit on Rs 100/- Stamp Paper that currently they are not black listed or debarred by any Government/Semi-Government Department to participate in bidding and to supply equipment. Failure to submit such affidavit may lead to disqualification.
- ix. Any additional information the bidder may like to furnish e.g. repair/maintenance other concerned facility
- x. Detailed item specifications matched corresponding to the BOQ as given at **Annex 'A'**
- xi. Detailed project implementation schedule/Completion Schedule which includes the delivery of items mentioned in the BOQ
- xii. Signed and stamped Tender document
- xiii. Bank Draft of the Earnest Money

4. Financial Proposal Format

Financial Proposal must include the following in the order given below:

- i. Equipment prices duly entered on the form in the attached BOQ
- ii. Validity period of the quoted price
- iii. Any other Terms and Conditions

5. Terms & Conditions

- 5.1. This invitation for bids is open to all national original Manufacturers/ Distributors/Agents in Pakistan for Supply of Tools, Carpentering, Plumbing and Electric Material.
- 5.2. All prices should be quoted in Pak Rupees and inclusive of all Government Taxes & Levies.
- 5.3. A bank draft equal to 2% of the estimated cost should accompany the Tender as **Earnest Money** drawn in favor of **KFUEIT Rahim Yar Khan**. The Tender shall not be considered without Earnest Money. Bank guarantee will not be accepted. Bank draft for Earnest Money should be placed with the Technical proposal.
- 5.4. Earnest Money for bidders not selected will be returned a minimum of two weeks after announcement of award and returned to successful bidder after signing the contract. If the selected bidder fails to sign the contract within stipulated time, Earnest Money will be forfeited.
- 5.5. A Bank draft of 5% of the total amount as **Performance Guarantee** will be provided by the supplier in favor of KFUEIT, Rahim Yar Khan within 10 days after signing of the contract on judicial stamp paper of the value PKR. 1200/-which shall remain valid for 12 months beyond delivery period. This performance guarantee will be released after the completion of warranty/guarantee period, along with the satisfactory completion report which will be intimated to the Seller and the Director Procurement KFUEIT, Rahim Yar Khan for their onward issuance of No Objection Certificate (NOC) for the release of performance guarantee.
- 5.6. KFUEIT Rahim Yar Khan reserves the right to accept / reject any or all proposals without assigning any reason thereof.
- 5.7. The quantity of an order may vary depending on the quoted prices and the allocated funds.
- 5.8. The decision of the KFUEIT procurement committee will be binding on all concerned and will in no case be challenged in any forum.
- 5.9. KFUEIT Rahim Yar Khan reserves the right to modify the conditions / specifications of the Tender Document with written intimation to all the participants who have purchased the Tender Document.
- 5.10. Delivery period will be 45 days from the date of issuance of purchase order/supply order.

- 5.11.** Delivery shall be completed according to the agreed upon schedule.
- 5.12.** In case the selected bidder fails to execute the contract strictly in accordance with the terms and conditions laid down in the contract, the Performance Guarantee shall be forfeited.
- 5.13.** The University will get the item inspected at KFUEIT Rahim Yar Khan and reject the item, if not found according to the stated specifications.
- 5.14.** The University reserves the right to claim compensation for the losses caused by delay in the delivery of equipment.
- 5.15.** It is the sole responsibility of the bidder to comply with local, national and international laws.
- 5.16.** In case any supplies/material are found not in conformity with the specifications provided in the tender, either on account of inferior quality, defective workmanship, faulty design, faulty packing or is short supplied, or wrongly supplied, the supplier will replace the same free of charges or pay the full cost of replacement.
- 5.17.** All the proposals submitted will become the property of the University.
- 5.18.** All prices should be valid for at least 60 days. Withdrawal or any modification of the original offer within the validity period shall entitle the KFUEIT Rahim Yar Khan to forfeit the Earnest Money in favor of the KFUEIT Rahim Yar Khan and/or putting a ban on the future inquires or taking any other suitable action against the bidder.
- 5.19.** Delivery of the items will be free of charge at Khawaja Fareed University of Engineering & Information Technology, Rahim Yar Khan during the office hours with a copy of Delivery Challan.
- 5.20.** Items being ordered should be brand-new and according to order specification from the current production and covered under normal warranty/guarantee etc. as mentioned in the quote. Brochures mentioned and product details must be attached.

6. Tender Evaluation Criteria

All bids shall be evaluated on technical and financial merit. The Company Evaluation Criteria is attached at **Annex 'C'** for reference. Technical evaluation process may include, but not limited to the consideration of the following with respect to the functional requirements given ahead:

- a. Technical specifications of proposed item

- b. Company Profile
 - I. Age of the company
 - II. Financial strength of the bidder

Financial Evaluation process will be based on the consideration of the quoted price.

7. Undertaking

On behalf of the company it is certified that we agree to the all the Instructions and Terms & Conditions given in this Tender Document

Name of bidder.....

Authorized person.....

Authorized signature.....

Stamp.....

Office Address.....

Tel No

Fax No

Supply and Installation of GYM Equipment

| Sr. No | Item Name | Specifications/Minimum Requirements | Qty. |
|--------|--|--|------|
| 1 | Leg extension /led curl | <ul style="list-style-type: none"> • 70 kg to 100 kg weight stack • 3mm to 6mm thickness of station • 1mm to 2.5mm other frame. • Compact unit complete in all respects. • All the weights be provided with the machine. | 01 |
| 2 | Biceps/triceps | <ul style="list-style-type: none"> • 70 kg to 100 kg weight stack • 3mm to 6mm thickness of station • 1mm to 2.5mm other frame. • Compact unit complete in all respects. • All the weights be provided with the machine. | 01 |
| 3 | Smith machine | <ul style="list-style-type: none"> • 70 kg to 100 kg weight stack • 3mm to 6mm thickness of station • 1mm to 2.5mm other frame. • Compact unit complete in all respects. • Rod must be provided with the machine • Weights must also be provided with the machine | 01 |
| 4 | Cable cross over | <ul style="list-style-type: none"> • 30 kg to 70 kg weight stack • 3mm to 6mm thickness of station • Compact unit complete in all respects. • Machine. • must be provided with two chrome cable handles excluding the weights which should be added according to the users' choice. • It should have a movement degree of 180 which is an addition to the many features and allows the high and low pulley exercises. • Accessories • Trice rope • Triceps v handle • Cable cross handle pair • Straight handle bicep | 01 |
| 5 | 45-degree hyper extension bench | <ul style="list-style-type: none"> • 45-degree angle • 5 position pad adjustment | 01 |
| 6 | Flat bench | <ul style="list-style-type: none"> • Powder coated tubular steel frame • Comfortable and durable box stitch padding • Perform dumbbell, body weight or core based exercises • Can support up to 300-pound including user | 04 |
| 7 | Adjustable bench | <ul style="list-style-type: none"> • Can support up to 800 lbs. real weight • User height up to 6'4 inch • Smooth 12 position adjustable backrest by utilizing 2 position front leg adjustment • Detachable 3 position adjustable leg hold down bar for additional stability during workouts | 02 |

| | | | |
|----|----------------------------|--|----|
| 8 | Flat press bench | <ul style="list-style-type: none"> • Olympic size flat bench press for chest exercise. • Can support user height up to 6.4 feet. • Leather coated comfortable bench seat. • 3-5 rod rest positions <p>Accessories Rod/ Olympic bar</p> | 02 |
| 9 | Incline press bench | <ul style="list-style-type: none"> • Olympic size flat bench press for chest exercise. • Can support user height up to 6.4 feet. • Leather coated comfortable bench seat. • 3-5 rod rest positions <p>Accessories Rod/ Olympic bar</p> | 02 |
| 10 | Decline press bench | <ul style="list-style-type: none"> • Olympic size flat bench press for chest exercise. • Can support user height up to 6.4 feet. • Leather coated comfortable bench seat. • 3-5 rod rest positions <p>Accessories Rod/ Olympic bar</p> | 02 |
| 11 | Scott bench | <ul style="list-style-type: none"> • Metal frame • Leather seat and padding • Capable of performing triceps exercise | 01 |
| 12 | Vertical knee raise | <ul style="list-style-type: none"> • Vertical knee raise, dip and push-up stations • Dip and push-up handles with rubber grips • Steel mainframe construction with scratch resistant powder coat finish • Tough skid resistant feet | 01 |
| 13 | Chest press | <ul style="list-style-type: none"> • 70 kg to 100 kg weight stack • 3mm to 6mm thickness of station • 1mm to 2.5mm other frame. • Compact unit complete in all respects. • All the weights be provided with the weight stack guard: front open and rear shields. Pulley: maintenance free, fiber glass reinforced nylon pulleys fitted with premium grade -a quality roller bearings with v grooved channel | 01 |
| 14 | Shoulder press | <ul style="list-style-type: none"> • 70 kg to 100 kg weight stack • 3mm to 6mm thickness of station • 1mm to 2.5mm other frame. • Compact unit complete in all respects. • All the weights be provided with the machine. Weight stack guard: full front and rear shields. Pulley: fiber glass reinforced nylon pulleys with v grooved channel | 01 |
| 15 | Lat pulldown | <ul style="list-style-type: none"> • 70 kg to 100 kg weight stack • 3mm to 6mm thickness of station • 1mm to 2.5mm other frame. | 01 |

| | | | |
|----|-----------------------------|---|----|
| | | <ul style="list-style-type: none"> • Compact unit complete in all respects. • All the weights be provided with the machine. | |
| 16 | Leg press/hack squat | <ul style="list-style-type: none"> • 70 kg to 100 kg weight stack • 3mm to 6mm thickness of station • 1mm to 2.5mm other frame. • Compact unit complete in all respects. • Locking system to stop the weights at any position • All the weights be provided with the machine. | 01 |
| 17 | Mortised treadmill | <p>Motor type A.c. motor</p> <p>Electric incline Up to 20 levels</p> <p>Hand pulse Yes</p> <p>Maximum user weight Upto 165 kgs..</p> <p>Speed Up to 20 km/h</p> <p>Elevation Up to 20 levels</p> <p>Multimedia capabilities Audio jack USB port SD card port</p> <p>Feedback Incline, speed, time, calorie, pulse, distance, heartbeat</p> <p>Programs 1 manual 3 preset 1 bodyfat 3 set enabled 2 user set</p> | 02 |
| 18 | Multi gym | <ul style="list-style-type: none"> • Extra sturdy base frame structure with increased load bearing capacity • Covered weight stacks for extra safety & attractive looks. • Four weight stacks • Commercial grade seat adjustments on bench press, lat pull, preacher curl & butterfly • Superior upholstery with double stitched seats pads. • Quality expanded closed cell foam • Friction free pulley with sealed bearings to ensure proper tracking of cables. • Weight stacks selector pins with ball detent to keep them locked. • 4 persons exercise at a time • Closed weight stacks | 01 |

| | | | |
|----|----------------------------------|--|----------|
| | | <p><u>Work out</u></p> <ul style="list-style-type: none"> • Lat pull down (front & back), leg extension, • Shoulder shrugs, parallel dips (triceps extension) • Triceps pull down, rear deltoids • Rear biceps curl, butterfly/ back deck • Leg raise, leg curl, hip flexor, leg press | |
| 19 | Multifunction bench press | <ul style="list-style-type: none"> • Incline - flat - decline bench press <ul style="list-style-type: none"> ○ Leg curl ○ Leg extension ○ Dumbbells workouts ○ Abdominal crunches | 03 |
| 20 | Spine bike | <ul style="list-style-type: none"> • Two-way fly wheel • Chain drive system • Heavy duty • Load changing knob • Comfortable leather seat • Time, calories, distance monitor for user | 02 |
| 21 | Orbit/ elliptical | <ul style="list-style-type: none"> • Dual action workout -- rowing cum cycling • Two-way fly wheel • Magnetic system • 6-10 level manual resistance control • Handles with rubber or foam grips <p>Feedback Speed, time, distance, scan, calories, pulse, pulse recovery and body fat</p> | 02 |
| 22 | Six pack core unit | <ul style="list-style-type: none"> • Single seater • One-person bench type • Capable of performing abs exercise and leg curl | 01 |
| 23 | Triceps rope | Nylon rope or equivalent with hand grips at both ends | 02 |
| 24 | Triceps handle | V curved handle with grip | 02 |
| 25 | Cable cross handle | Metal handles with rubber grips | 02 pairs |
| 26 | Rowing handle v shaped | Metal handles with rubber grips | 02 |
| 27 | Mutli function stepper | Manual twister Bottom end plate to rotate about 360 For abs Elliptical | 01 |

| | | | |
|----|---|---|---|
| 28 | Weight plates Rubber coated | 2.5 kg (4 pairs) 5 kg (6 pairs) 10 kg (6 pairs) 15 kg (4 pairs) 20 kg (3 pairs) 25 kg (3 pairs) All of these weight plates must be attachable to the all the machines in the tender. Hole of the plates must be according to the size of machine weight lever. Accessories Weight plate tree | 4 pairs 6 pairs 6 pairs 4 pairs 3 pairs 3 pairs |
| 29 | Dumbbells rubber coated | 2 kg 4 kg 5 kg 8 kg 10 kg 12 kg 15 kg 20 kg Dumb bell rack Horizontal | 4 pairs 6 pairs 6 pairs 6 pairs 6 pairs 4 pairs 4 pairs 2 pairs 1 |
| 30 | Pro lat bar | Rubber coated rod end curved | 01 |
| 31 | Olympic bar 4,6, ft. | <ul style="list-style-type: none"> • Straight bars • For arms exercises and chest exercises • Can fit to the demanded weight plates | 04 each |
| 32 | Ez bar | <ul style="list-style-type: none"> • Curled bar for biceps and triceps exercises • Can fit to the demanded weight plates | 02 |
| 33 | Weight machine with height measuring stand | <ul style="list-style-type: none"> • Can measure up to 200 kg weight • Digital display • Can measure height also | 01 |
| 34 | Push up stand metal | Push up stand of quarter height | 01 |
| 35 | Gym mat | 1 x 1 meter | 10 |
| 36 | Gym belts | 5 pieces | 10 |

**Supply and Installation of GYM Equipment
(Bid Form)**

| Sr. No. | Item Name | Qty. | Unit Rate | Total Price (inclusive of all taxes, and Shipment charges) |
|---------|--|------|-----------|---|
| 1 | Leg extension /led curl | 01 | | |
| 2 | Biceps/triceps | 01 | | |
| 3 | Smith machine | 01 | | |
| 4 | Cable cross over | 01 | | |
| 5 | 45-degree hyper extension bench | 01 | | |
| 6 | Flat bench | 04 | | |
| 7 | Adjustable bench | 02 | | |
| 8 | Flat press bench | 02 | | |
| 9 | Incline press bench | 02 | | |
| 10 | Decline press bench | 02 | | |
| 11 | Scott bench | 01 | | |
| 12 | Vertical knee raise | 01 | | |
| 13 | Chest press | 01 | | |
| 14 | Shoulder press | 01 | | |
| 15 | Lat pulldown | 01 | | |
| 16 | Leg press/hack squat | 01 | | |

| Sr. No. | Item Name | Qty. | Unit Rate | Total Price (inclusive of all taxes, and Shipment charges) |
|---------|--|--|-----------|---|
| 17 | Mortised treadmill | 02 | | |
| 18 | Multi gym | 01 | | |
| 19 | Multifunction bench press | 03 | | |
| 20 | Spine bike | 02 | | |
| 21 | Orbit/ elliptical | 02 | | |
| 22 | Six pack care unit | 01 | | |
| 23 | Triceps rope | 02 | | |
| 24 | Triceps handle | 02 | | |
| 25 | Cable cross handle | 02 pairs | | |
| 26 | Rowing handle v shaped | 02 | | |
| 27 | Mutli function stepper | 01 | | |
| 28 | Weight plates Rubber coated | 4 pairs 6 pairs 6 pairs 4 pairs 3 pairs 3 pairs | | |
| 29 | Dumbbells rubber coated | 4 pairs 6 pairs 6 pairs 6 pairs 6 pairs 4 pairs 4 pairs 2 pairs | | |

| Sr. No. | Item Name | Qty. | Unit Rate | Total Price (inclusive of all taxes, and Shipment charges) |
|-----------------------|---|---------|-----------|---|
| | | 1 | | |
| 30 | Pro lat bar | 01 | | |
| 31 | Olympic bar 4,6, ft. | 04 each | | |
| 32 | Ez bar | 02 | | |
| 33 | Weight machine with height measuring stand | 01 | | |
| 34 | Push up stand metal | 01 | | |
| 35 | Gym mat | 10 | | |
| 36 | Gym belts | 10 | | |
| | | | | TOTAL: _____ |
| Total in Words: _____ | | | | |

Company Evaluation Criteria

1. Basic Evaluation

- xi. Profile of company (Including Financial Profile)
- xii. List of Previous/Current customers of related Supplies, with contact person and telephone/fax numbers.
- xiii. Detailed product design information
- xiv. Copy of National Tax Registration Certificate
- xv. Copy of Sales Tax Registration Certificate
- xvi. Bank letter of financial standing
- xvii. An affidavit on Rs 100/- Stamp Paper that currently they are not black listed or debarred by any Government/Semi-Government Department to participate in bidding and to supply equipment. Failure to submit such affidavit may lead to disqualification.
- xviii. Detailed item specifications matched corresponding to the BOQ as given at **Annex 'A'**
- xix. Detailed project implementation schedule/Completion Schedule which includes the delivery of items mentioned in the BOQ
- xx. Signed and stamped Tender document

2. Detailed Evaluation

(Minimum Passing Score Required is 65 Points)

| TECHNICAL EVALUATION CRITERIA FOR TENDER | | | |
|---|--|-------|-----------|
| Specifications are available at Annex-A | | | |
| Sr. No | Item Name and Description | Marks | Max Marks |
| 1 | Past Performance/Experience of the Bidder (Reg. with GST/NTN) | -- | 10 |
| 1.1 | 1 – 3 year experience | 2 | -- |
| 1.2 | 4 – 8 year experience | 4 | -- |
| 1.3 | 9 – 15 years' experience | 6 | -- |
| 1.4 | Above 15 | 10 | -- |
| 2 | Relevant Experience | -- | 10 |
| 2.1 | 1 – 5 years' experience | 3 | -- |
| 2.2 | 6 – 10 years' experience | 6 | -- |
| 2.3 | 11 and above year experience | 10 | -- |
| 3 | Financial Position/ Status | -- | 10 |
| 3.1 | Last sales tax paid Form | 4 | -- |
| 3.2 | Bank Certificate (satisfactory) | 2 | -- |
| 3.3 | Statement Worth (Min 2 m) | 4 | -- |
| 4 | After sale Services Available | -- | 10 |
| 5 | Technical Evaluation of quoted items | -- | 60 |
| 5.1 | Specification matched as provided in Annex-A | 30 | |
| 5.2 | Literature in printed shape attached | 2.5 | |
| 5.3 | Reliability | 2.5 | |
| 5.4 | Delivery schedule as per need | 5 | |
| 5.5 | List of clients / where this equipment delivered | 5 | |
| 5.6 | Satisfactory letter from clients in favour of such equipment | 5 | |
| 5.7 | Guarantee / Warranty (as the case may be) | 5 | |
| 5.8 | Provision of training to concerned user | 2.5 | |
| 5.9 | Free Installation (if required) as per requirement | 2.5 | |
| Total | | -- | 100 |